

GASOLINE 92

Parameters	TEST METHOD	UNIT	result
Color	ASTM D156	Saybolt	24
Benzene	ASTM D6730	vol%	3
Aromatic	ASTM D5580	vol%	30
Total Sulfur	ASTM D5453	ppm	156
Density @15°C	ASTM D1298	g/cm ³	0.78
IBP	ASTM D86	°C	54
Distillation 10%	ASTM D86	°C	60
Distillation 20%	ASTM D86	°C	68
Distillation 30%	ASTM D86	°C	79
Distillation 40%	ASTM D86	°C	89
Distillation 50%	ASTM D86	°C	99
Distillation 60%	ASTM D86	°C	110
Distillation 70%	ASTM D86	°C	116
Distillation 80%	ASTM D86	°C	126
Distillation 90%	ASTM D86	°C	145
Distillation 95%	ASTM D86	°C	162
Distillation FBP	ASTMD86	°C	173
Mercaptan	ASTM D3227	ppm	5max
Ron	ASTM D2699	91	-